



Sant betonat  
scara 1:50




Sant betonat  
scara 1:25






Domenii de aplicare VOTS			
STANGA		DREAPTA	
Km	Km	Km	Km
18+530	18+570	16+340	16+400
23+980	24+090	16+660	16+900
25+050	25+130	17+710	17+810
		18+750	18+810
		19+510	19+690
		25+070	25+130
		25+230	25+330

Caracteristicile betoanelor utilizate pentru dispozitive de scurgere ape:  
Referinta la normativul NE 012-1:2007/standardul SR EN 12620

- Clasa de rezistenta la compresiune	C30/37
- Clasele de expunere (min)	XF4
- Dozaj minim de ciment (min)	340 kg/mc
- Tip ciment conf. SR EN 197-1:2002	CEM I; SRI; I-A 52.5, 42.5; CEM II: A/B-S, IIIA-S, A-LL;
- Raport apa/ciment (max)	0.5



<b>INVESTITOR</b>  COMPANIA NATIONALA DE ADMINISTRARE A INFRASTRUCTURII RUTIERE S.A.	<b>PROIECTANT GENERAL</b>  D.P. CONSULT S.A.	<b>AMPLASAMENT</b> 	<b>DENUMIRE PROIECT</b> PROIECTARE SI EXECUTIE "VARIANTA DE OCOLIRE TIMISOARA SUD" ELABORARE PROIECT TEHNIC REST DE EXECUTAT  NUMAR CONTRACT: 550/36/09.02.2023  NUMAR PROIECT : 556	<b>FAZA PROIECT</b> PROIECT TEHNIC REST DE EXECUTAT  Data : 03.2023  VERIFICATOR TEHNIC	<b>Manager de Proiect</b> ing. Silvan Moldovan  <b>Sef Echipa Proiectare</b> ing. Raul Cocis  <b>Inginer Proiectant Poduri</b> ing. Attila Takacs  <b>Inginer Proiectant Drumuri</b> ing. Valentin Oaida	<b>REVIZII</b>			<b>DENUMIRE PLANSA</b> DETALIU SANT TIP 3  1:50/1:25  Scara : 1:20  NUMAR PLANSA 556-VOTM-DET-08
						NR. REV.	DATA	SEMN.	